

## Polyurethan Weitwinkelriemen 60°

### Weitwinkelriemen aus Polyurethan 60°

Außenlänge mm	Profil <b>3M</b>	Profil <b>5M</b>	Profil <b>7M</b>	Profil <b>11M</b>
180	•			
185	•			
190	•			
195	•			
200	•			
206	•			
212	•			
218	•			
224	•			
230	•			
236	•			
243	•			
250	•			
258	•			
265	•			
272	•			
280	•	•		
290	•	•		
300	•	•		
307	•	•		
315	•	•		
325	•	•		
335	•	•		
345	•	•		
355	•	•		
365	•	•		
375	•	•		
387	•	•		
400	•	•		
412	•	•		
425	•	•		
437	•	•		
450	•	•		
462	•	•		
475	•	•		
487	•	•		
500	•	•	•	
515	•	•	•	
530	•	•	•	
545	•	•	•	
560	•	•	•	
580	•	•	•	
600	•	•	•	
615	•	•	•	
630	•	•	•	
650	•	•	•	
670	•	•	•	

• lieferbare Größen

## Polyurethan Weitwinkelriemen 60°

### Weitwinkelriemen aus Polyurethan 60°

Außenlänge mm	Profil <b>3M</b>	Profil <b>5M</b>	Profil <b>7M</b>	Profil <b>11M</b>
690	●	●	●	
710	●	●	●	●
730	●	●	●	●
750	●	●	●	●
775		●	●	●
800		●	●	●
825		●	●	●
850		●	●	●
875		●	●	●
900		●	●	●
925		●	●	●
950		●	●	●
975		●	●	●
1000		●	●	●
1030		●	●	●
1060		●	●	●
1090		●	●	●
1120		●	●	●
1150		●	●	●
1180		●	●	●
1220		●	●	●
1250		●	●	●
1280		●	●	●
1320		●	●	●
1360		●	●	●
1400		●	●	●
1450		●	●	●
1500		●	●	●
1550			●	●
1600			●	●
1650			●	●
1700			●	●
1750			●	●
1800			●	●
1850			●	●
1900			●	●
1950			●	●
2000			●	●
2060			●	●
2120			●	●
2180			●	●
2240			●	●
2300			●	●

● lieferbare Größen

## Polyurethan Verbund - Weitwinkelriemen 60°

**Mit 2 - 3 - 4 - 5 Rippen lieferbar**

Außenlänge mm	Profil <b>3M/JB</b>	Profil <b>5M/JB</b>	Profil <b>7M/JB</b>	Profil <b>11M/JB</b>
180	•			
185	•			
190	•			
195	•			
200	•			
206	•			
212	•			
218	•			
224	•			
230	•			
236	•			
243	•			
250	•			
258	•			
265	•			
272	•			
280	•	•		
290	•	•		
300	•	•		
307	•	•		
315	•	•		
319	•	•		
325	•	•		
335	•	•		
345	•	•		
350	•	•		
355	•	•		
365	•	•		
375	•	•		
387	•	•		
400	•	•		
406	•	•		
412	•	•		
425	•	•		
437	•	•		
450	•	•		
462	•	•		
475	•	•		
487	•	•		
500	•	•	•	
515	•	•	•	
530	•	•	•	
545	•	•	•	
553	•	•	•	
560	•	•	•	
580	•	•	•	
600	•	•	•	
615	•	•	•	

• lieferbare Größen

## Polyurethan Verbund - Weitwinkelriemen 60°

**Mit 2 - 3 - 4 - 5 Rippen lieferbar**

Außenlänge mm	Profil <b>3M/JB</b>	Profil <b>5M/JB</b>	Profil <b>7M/JB</b>	Profil <b>11M/JB</b>
630	•	•	•	
650	•	•	•	
670	•	•	•	
690	•	•	•	
710	•	•	•	•
730	•	•	•	•
750	•	•	•	•
775		•	•	•
800		•	•	•
805		•		
825		•	•	•
837			•	
850		•	•	•
875		•	•	•
900		•	•	•
925		•	•	•
950		•	•	•
975		•	•	•
1000		•	•	•
1030		•	•	•
1060		•	•	•
1090		•	•	•
1120		•	•	•
1150		•	•	•
1180		•	•	•
1220		•	•	•
1250		•	•	•
1280		•	•	•
1320		•	•	•
1360		•	•	•
1400		•	•	•
1450		•	•	•
1500		•	•	•
1550			•	•
1600			•	•
1650			•	•
1700			•	•
1750			•	•
1800			•	•
1850		•	•	•
1900			•	•
1950			•	•
2000			•	•
2060			•	•
2120			•	•
2180			•	•
2240			•	•
2300			•	•

• lieferbare Größen